


Pre terminated Fiber Cable Assemblies

Pre terminated Fiber Cable Assemblies



Example:

Customized 96 Fibers SingleMode MultiFiber LC Pre terminated Fiber Cable Assemblies Breakout Cables

Descriptions

Fibre Optic Pre-Terminated Breakout Cable, capacity 96fiber.one side connectors LC/APC, 30m-300 length -this cable is yellow and it is halogen-frree cable with LC/APC port at one side, LSZH, G.652.D, Outer diameter: 25mm

Unmatched Durability: Rugged mesh sleeve ensures superior cable protection. Easy Installation: Designed for convenient deployment in diverse environments. Premium Quality: Made with high-grade polyurethane for optimal performance. Customizable Solutions: Tailored to fit your specific network needs.

Features

- ✓ Name: Customized Pre terminated Fiber Cable Assemblies Breakout Cables
- ✓ Connector: LC/SC/FC (Simplex or Duplex)
- ✓ Polish: APC or UPC
- ✓ Fiber Type: Single-mode: G.652D, G.657A1, G.657A2, OS2,9/125;

Multimode: OM1,OM2,OM3,OM4, or OM5

- ✓ Cable Type: Distribution Round
- ✓ Breakout Cable Type: 25mm Jacket
- ✓ Fiber Count: 4-96 Fibers
- ✓ Jacket Color: Yellow
- ✓ Jacket Material: LSZH, PVC, OFNP, TPU
- ✓ Total Length: Choose Length
- ✓ Breakout Length: Choose from Standard 0.5m or 1m
- ✓ Polarity: Straight Through (Specify if Different)
- √ Wavelength 1310/1550nm
- ✓ Insertion loss: ≤0.3dB
- ✓ Interchangeability: ≤0.2dB
- ✓ Return loss: UPC≥50dB, APC≥60dB
- ✓ Operating temperature: -40~75°C
- √ Storage temperature: -45~85°C
- ✓ Polarity: A(Tx) to B(Rx)

Applications

- ✓ CATV
- ✓ Active device termination
- ✓ Telecommunication networks
- ✓ Metro
- ✓ Local Area Networks (LANs)
- ✓ Data processing networks
- √ Test equipment
- ✓ Precise installations
- ✓ Wide Area Networks (WANs)

Pre terminated Fiber Cable Assemblies



Pre terminated Fiber Cable Assemblies Breakout Cables 12F LC/UPC SM



Pre terminated Fiber Cable Assemblies Breakout Cables 96F LC/APC SM



Pre terminated Fiber Cable Assemblies Breakout Cables 96F LC/UPC SM